

**NOTICE TO CONTRACTORS
HIGHWAY CONSTRUCTION****January 11, 2010**

Sealed bids will be received in the Bid Room SA-19, located on the service level of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00.59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00.59 am Pacific Time or for bids scheduled for bid opening November 18, 2009 and later, electronically via BidX.com until 11:00.59 am Pacific Time, on the dates shown below.

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited.

Bonds submitted on other than the bond form provided by the department may be subject to rejection.

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin and sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person, who believes his /her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For Title VI complaint forms and advice, please contact OEO's Title VI Coordinator at (360) 705-7098.

WSDOT hereby gives public notice that it is the policy of the department to assure full compliance with Title VI of the Civil Rights Act of 1964, the Civil Rights Restoration Act of 1987, and related statutes and regulations in all programs and activities. Persons wishing information may call the Washington State Department of Transportation, Office of Equal Opportunity at (360) 705-7098.

The right is reserved to reject any and all bids and to waive informalities in the bidding.

Bidding proposal may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specification. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening.

Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America in Seattle, Spokane, and Tacoma, and the offices of the Regional Administrators or the Headquarters of the Department of Transportation, where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted.

FEE

Project Documents will be furnished for the non-refundable fee of: **\$ 25.00 Plus Sales Tax**

(Remittance may be made to the Washington State Treasurer and sent to the address below).

TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835 (from 8:00 am to 5:00 pm) or (360) 705-7014 (24-Hour Recording). To order by mail, the address is: Contract Ad & Award Administration Office, Washington State Department of Transportation, P.O. Box 47360, Olympia, WA 98504-7360. Current Bid Results are available through the Internet address below.

Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Status, and Bid Tabulations are available on the Internet at:

<http://www.wsdot.wa.gov/biz/contaa>

ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.

Americans with Disabilities Act (ADA) Information

If you would like copies of this document in an alternative format - large print, Braille, cassette tape, or on computer disk, please call Washington State Telecommunications Relay Service TT 1-800-833-6388, Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to (360) 705-7097.

Individuals requiring reasonable accommodation may request written materials in alternate formats, sign language interpreters, physical accessibility accommodations, or other reasonable accommodation by contacting the event sponsor Ken Walker 360-705-7017, usually 2 weeks before the bid opening. Persons with hearing impairments may call Washington State Telecommunications Relay Service TT 1-800-833-6388 Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to the event sponsor's phone number.

BID OPENING THURSDAY, JANUARY 21, 2010

- *1. (KITTTAS)**HYAK TO SNOWSHED VICINITY PHASE 1B – ADD LANES AND BRIDGES** (CL 1 or
*** 6, \$100,000,000 - \$150,000,000)**CONTAINS VOLUNTARY MWBE GOAL: 8%. A State Project on I-90, MP 55.16 to MP 58.08. CONTAINS APPRENTICE UTILIZATION REQ: 15%.**Requires: Removing existing bridges, grading, controlled blasting, drainage, constructing six new bridges, and two new box culverts, paving with cement concrete and HMA pavement, rock slope stabilization, permanent barrier, guardrail, roadway excavation, embankment compaction, shoulder rumble strip, pavement marking, permanent signing, illumination, ITS system, traffic control and other work. 519 Working days. Involves 298 items. 845010 CY rdwy excav incl haul, 103340 LF controlled blast, 571370 CY embank comp, 258670 CY select rock embank, 12800 T crushed surface base course, 5750 CY streambed aggregate, 12703 T mod heavy loose rip rap, 3612 T quarry spalls, 4205 LF underdrain pipe, 6693 LF sch A culv pipe, 621 LF corrugated polyethylene culv pipe, 39 EA mod catch basin, 1619 LF sch A storm sewer pipe, 10 EA headwall, 6240 CY struct excav CL A incl haul, 10820 CY soil excav, 280 CY rock excav incl haul, 3063 CY gravel backfill, 1022 LF furnish & place temp casing, 220 LF furnish perm casing, 22 EA perm casing, 1177 LF casing shoring, 2747590 LBS st rebar, 44640 LF CSL access tube, 3950 CY conc CL 4000, 9879 CY conc CL 4000P, 17819 LF prestressed conc girder, 5989 LF traffic barrier, 703 EA epoxy coated soil nail, 21 EA soil nail verification test and proof test, 2544 SY bridge approach slab, 491 SY mod bridge approach slab, 15000 SF compact grout area, 168900 T crushed surface base course, 43298 CY cement conc pvmt, 51200 EA corrosion resist dowel bar, 60910 T HMA CL 1/2 IN PG 64-28, 24700 T longitudinal jnt seal, 23750 SY compost blanket, 2563 SY stabilized const entrance, 8 EA tire wash, 72558 LF high visibility orange silt fence, 42 ACRE seed, 10170 CY topsoil, 40 ACRE medium compost, 30240 LF high visibility fence, 8674 CY media filter drain mix, 8770 SY compost amended vegetated filter strip, 3693 SY temp sediment trap, 1969 LF beam guardrail, 9 EA beam guardrail trans sec mod, 18304 LF precast conc barrier, 34 EA conc barrier transition, 2406 LF cast-in-place conc barrier, 146190 LF temp conc barrier, 1264 EA rigid guide post, 4683 EA barrier delineator, 75750 LF paint line, 44140 LF grooved plastic line, 9 MI conc rumble strip, 412440 LF temp pvmt marking, 18230 LF temp recessed pvmt markings, 14000 LF utility trench, 34 EA power vault, 8133 CY struct excav CL B incl haul, 30686 SF shoring or extra excav CL B, 2935 SF gravity block wall, 30750 SY const geotextile, 24 ACRE temp impact area restoration, 294 EA large woody material, 840 EA boulder anchor, 725 SF shoring wall, 37930 SF shotcrete wall facing, 12000 LF rock dowel, 3400 LF rock bolt, 7400 LF horizontal PVC drain, 500 CY fiber reinf shotcrete, 169813 SF cable net slope protect. CONTAINS MINIMUM BID ITEMS:TYPE C PROGRESS SCHEDULE and SCHEDULE UPDATE. Lump Sum Bids for: Precast reinf conc split box culvert, shoring or extra excav CL A, sample panel permeon surface treatment process, maturity measurement for conc quality control, additional BMP materials & equip, temp stream diversion, perm signing, sign bridge, cantilever sign struct, illum sys, ITS fiber communication, ITS CCTV sys, ITS transportation sys VMS relocation, ITS VMS and HAR sys, ITS data station, temp traffic control, cure box, struct and rdwy survey, rockfall containment net, movable rockfall barrier, monitor prism sys, monitor strain gage sys, SPCC plan.
SUPERSTRUCTURES INCLUDE: 1469070 LBS epoxy-coated st rebar, 186270 LBS st rebar, 5271 CY conc CL 4000D, 629 CY conc CL 4000, 120 EA elastomeric bearing pads, 224 EA elastomeric transverse stop pads, 600 SF median safety net, 348 LF strip seal expansion jnt.(XL-2779)(509090B)(09Y019)(7852) (11 of 11)(3) **GEOTECH REPORT AVAILABLE AT:** www.wsdot.wa.gov/biz/contaa

- *2. (PIERCE) **214TH AVE. E. TO 234TH AVE. E. – WIDENING** (CL 1 & 4 or 1 & 15 , Under \$12,500,000)
 ** CONTAINS VOLUNTARY MWBE GOAL: 12% A State Project on SR 410, MP 15.61 to MP 17.10.
 *** CONTAINS APPRENTICE UTILIZATION REQ: 15%. Requires: Embankment construction, grading, draining, surfacing, paving with hot mix asphalt, constructing two soldier pile walls and one soil nail wall, erosion control, planting, installing sanitary sewer, waterlines, irrigation, curb, gutter, sidewalk, guardrail, traffic signal system, illumination, pavement marking, permanent signing, fencing, traffic control and other work. 175 Working days. Involves 212 items. 32360 CY rdwy excav incl haul, 13160 T select borrow incl haul, 880 T quarry spalls, 185 LF sch A culv pipe, 2750 SY LLDPE geomembrane lining sys, 124 EA catch basin, 1305 LF CL IV reinf conc storm sewer pipe, 14302 LF sch A storm sewer pipe, 555 LF pvc sanitary sewer pipe, 10 EA gate valve, 1445 LF ductile iron pipe, 896 LF shaft, 1152 furnish soldier pile, 235 LF moment slab barrier, 2462 SF lagging, 2410 SF conc fascia panel, 65 EA soil nail – epoxy coat, 8310 T ballast, 32860 T crushed surface base course, 23790 T HMA CL ½ IN PG 64-22, 13442 SY erosion control blanket, 10710 LF silt fence, 30 EA woody debris pile, 1430 CY topsoil, 1119 EA tall oregon grape, 8685 EA nootka rose, 8585 EA snowberry, 1702 EA red-osier dogwood, 1701 EA black hawthorn, 9381 EA ninebark, 2450 EA spike rush, 2450 EA hard-stemmed bulrush, 2450 EA small-flowered bulrush, 7682 EA cascara, 7685 EA scoulers willow, 7616 EA lakeshore sedge, 7616 EA slough sedge, 7616 EA sawbeak sedge, 7616 EA daggerleaf rush, 7616 EA slender rush, 2430 CY fine compost, 7130 CY bark or wood chip mulch, 2730 LF high visibility fence, 15630 LF cement conc traffic curb and gutter, 3256 LF low profile barrier curb, 2591 LF beam guardrail, 8 EA beam guardrail non flared term, 1814 LF precast conc barrier, 47980 LF paint line, 1130 SF plastic crosswalk line, 83500 LF temp pvmt marking, 18275 CY struct excav CL B incl haul, 84424 SF shoring or extra excav CL B, 1827 SY cement conc sidewalk, 19 EA cement conc sidewalk ramp, 3570 LF coated chain link fence, 2750 SY const geotextile, 4167 SF shotcrete facing.
CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Irrigation sys, perm signing, illum sys, traffic signal sys, temp traffic control, cure box, field office bldg, SPCC plan. (XL-2951)(341015A) (09C515)(7866)(6 of 4)(6)(3)
- *3. (KLICKITAT) **SR 14 TO US 97 ROADSIDE SAFETY PHASE 2** (CL 11 or 1 & 19, \$1,000,000 - \$1,250,000) CONTAINS VOLUNTARY MWBE GOAL: 15% A State Project on SR 142, MP 9.60 to MP 27.60. Requires: Performing roadway excavation, installing signing, guardrail and guideposts, traffic control and other work. 35 Working days. Involves 28 items. 1880 CY rdwy excav incl haul, 570 T shoulder ballast, 10701 LF beam guardrail, 7 EA beam guardrail non-flared term , 139 EA flex guide post, 1500 T rock, 240 T backfill. Lump Sum Bids for: Perm signing, temp traffic control, SPCC plan.(XL-3101)(414207R) (09X320)(7876)(4 of 4)
- *4. (SKAGIT & ISLAND) **ROADSIDE SAFETY IMPROVEMENT** (CL 11, \$750,000 - \$1,000,000) CONTAINS VOLUNTARY MWBE GOAL: 5%. A State Project on SR 20, MP 16.32 to MP 54.43 and SR 525, MP 9.37 to MP 30.52. Requires: Constructing guardrail, including Ironwood Guide Rail, constructing rumble strips, pavement marking, erosion control, traffic control and other work. 40 Working days. Involves 31 items. 125 T crushed surface base course, 2430 LF wattle, 2580 LF high visibility fence, 4471 LF beam guardrail, 12 EA beam guardrail non-flared term, 213 LF beam guardrail buried term, 2339 LF ironwood guide rail, 87580 LF paint line, 16 MI centerline rumble strip, 22 MI shoulder rumble strip. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-3138)(100099A)(09A028)(7881)(3 of 3)

BID OPENING WEDNESDAY, JANUARY 27, 2010

- *1. **“THIS PROJECT IS FUNDED IN WHOLE OR IN PART BY FUNDS MADE AVAILABLE THROUGH THE AMERICAN RECOVERY AND REINVESTMENT ACT”**
 (COWLITZ) **TODD RD TO KELSO WEIGH STATION PAVING AND SAFETY** (CL 4, \$5,000,000 - \$7,500,000) CONTAINS CONDITION OF AWARD DBE GOAL: 10% F.A. No. ARRA-IM-0051(270) on I-5, MP 26.47 to MP 43.80. Requires: Performing bridge deck repair, applying waterproofing membrane, paving, pavement repair, traffic control and other work. 60 Working days. Involves 84 items. 733 LF slotted trench drain risers, 1480 SY membrane waterproof, 2110 T crushed surface base course, 16 MI should finish, 171210 SY plane bit pvmt, 33007 T HMA CL ½ IN PG 64-22, 884 LF bridge transverse jnt seal, 11860 LF wattle, 4010 LF extruded curb, 8168 LF beam guardrail, 21 EA beam guardrail non-flared term, 663 LF beam guardrail buried term, 8660 LF raise exist beam guardrail, 680 LF precast conc barrier, 2330 LF remove and reset exist perm barrier, 365860 LF paint line, 366860 LF profiled plastic line, 33220 LF plastic wide line, 15 MI shoulder rumble strip, 76 HUND raised pvmt marker, 189235 LF temp pvmt marking, 4195 SF const sign CL A, 24 EA adjust catch basin. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCHEDULE Lump Sum Bids for: Perm signing, illum sys, temp traffic control, SPCC plan.(XL-2936) (400507C)(09X310)(7869) (5 of 6)

- *2. (KING) **SHIP CANAL BRIDGE NOISE STUDY** (CL 6, \$2,500,000 - \$3,000,000) A State Project on I-5, MP 168.25 to MP 168.74. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Installing sound baffle panels, clearing, selective pruning, erosion control, pavement marking, traffic control and other work. 124 Working days. Involves 28 items. 705 EA furnish sound baffle panel, 1104 LF temp conc barrier, 3420 LF profiled plastic line, 9720 LF temp pvmt marking, 12 EA no trespassing sign. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH** Lump Sum Bids for: Sound baffle panel install, temp traffic control, pedestrian control and protect, rdwy survey, struct support sys layout, health and safety plan, SPCC plan.(XL-2614)(800524Z) (09A811)(7873)(4 of 5)
- *3. (WHATCOM) **CED/ E CHURCH MT RD ROADWAY REALIGNMENT** (CL 1, \$2,500,000 - \$3,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 11%** A State Project on SR 542, MP 38.67 to MP 39.04. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Relocating 0.42 miles of roadway, replacing a fish passage culvert with a precast prestressed concrete slab bridge, structural earth retaining walls, planting, erosion/water pollution control, traffic control and other work. 175 Working days. Involves 115 items. 44800 CY rdwy excav incl haul, 10480 T gravel borrow incl haul, 5700 CY embank compact, 2260 CY channel excav incl haul, 1917 LF underdrain pipe, 448 LF sch A culv pipe, 33700 LB st rebar, 270 T conc CL 4000, 277 LF prestressed conc girder, 278 LF bridge rail, 1263 SF struct earth wall, 1368 CY backfill incl haul, 313 SY bridge approach slab, 3060 T crushed surface base course, 2770 T HMA CL ½ IN PG 58-22, 3717 LF compost sock, 718 EA douglas fir, 1174 EA low oregon grape, 1062 EA red alder, 1763 EA thimbleberry, 1802 EA vine maple, 929 EA western red cedar, 1808 EA western sword fern, 13929 SY bark or wood chip mulch, 4907 SY soil amend, 2720 LF high visibility silt fence, 6 EA beam guardrail trans section, 6 EA beam guardrail non-flare term, 1591 LF weathering st beam guardrail, 2420 LF temp conc barrier, 6490 LF paint line, 3850 LF temp pvmt marking, 1770 CY struct excav CL B incl haul, 3450 SF shoring or extra excav CL B, 1880 SY const geotextile. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH** Lump Sum Bids for: Temp stream bypass, log with rootwad, shoring or extra excav CL A, perm signing, temp traffic control, struct survey, rdwy survey, SPCC plans. **SUPERSTRUCTURE INCLUDES:** 2400 LB epoxy coated st rebar, 500 LB st rebar, 27 CY conc CL 4000D, 11 CY conc CL 4000, 32 EA elastomeric bearing pad, 4 EA transverse elastomeric stop pad. (XL-3053)(154229G)(09A025)(7875)(4 of 5)
- *4. (YAKIMA) **SELAH VICINITY – RE-ROUTE HIGHWAY** (CL 1 & 4 or 1 & 5 or 1 & 15, \$5,000,000 - \$7,000,000) **CONTAINS VOLUNTARY MWBE GOAL: 8%** A State Project on SR 823, MP 0.94 to MP 1.69. **CONTAINS APPRENTICE UTILIZATION REQ: 15%** Requires: Grading, paving with HMA, curb, gutter and sidewalk construction, pavement marking, permanent signing, drainage, traffic signal revision, traffic signal installation, traffic control and other work. 180 Working days. Involves 123 items. 13290 CY rdwy excav incl haul, 553 LF underdrain pipe, 103 EA catch basin, 64 LF plain conc storm sewer pipe, 649 LF CL IV reinf conc storm sewer pipe, 5226 LF sch A storm sewer pipe, 2366 LF ductile iron pipe, 1642 LF PVC sanitary sewer pipe, 2100 SF noise barrier wall, 11650 T crushed surface base course, 1392 T crushed surface top course, 1290 CY cement conc pvmt, 3420 EA corrosion resist dowel bar, 8380 T HMA CL ½ IN PG 64-28, 1930 LF compost sock, 291 CY topsoil, 6964 LF cement conc traffic curb and gutter, 7360 LF paint line, 7460 SF plastic crosswalk line, 11530 LF temp pvmt marking, 656 SF const signs CL A, 8240 CY struct excav CL B incl haul, 53940 SF shoring or extra excav CL B, 828 CY gravel backfill, 3500 SY cement conc sidewalk, 1002 SY cement conc driveway entrance, 21 EA cement conc sidewalk ramp, 26 EA manhole, 1800 SY const geotextile. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH** Lump Sum Bids for: Observation well, retaining wall, perm signing, illum sys, traffic signal sys, temp traffic control, pedestrian control and protection, cure box, SPCC plan. (XL-3094) (582301S)(09Y027)(7877)(4 of 5)
- *5. (WHATCOM) **BLAINE EXIT INTERCHANGE IMPROVEMENTS** (CL 4 or 1 & 15 or 1 & 32, \$4,000,000 - \$5,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 25%** F.A. No. IMD-CBI-0055(227) on I-5, MP 275.73 to MP 276.24. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Grading, installing drainage, storm sewer, surfacing, paving with HMA, irrigation system, erosion control and planting, cement concrete curb, gutter and sidewalk, pavement markings, permanent illumination system, temporary illumination system, traffic data accumulation and ramp metering system, permanent signing, bridge approach slabs, removing existing surfacing from the bridge deck, deck repair, waterproofing membrane, HMA overlay, thrie beam guardrail, traffic control and other work. 118 Working days. Involves 145 items. 7710 CY rdwy excav incl haul, 2458 T select borrow incl haul, 29 EA catch basin, 1955 LF sch A storm sewer pipe, 543 SY membrane waterproof, 167 SY bridge approach slab, 6130 T crushed surface base course, 12190 SF reinf grass shoulder, 939 SY patterned conc pvmt, 543 SY remove exist overlay, 8890 SY

plane bit pvmt, 6260 T HMA CL ½ IN PG 64-22, 2794 LF longitudinal jnt seal, 123 LF bridge transverse jnt seal, 60 DAY environmental compliance lead, 5 ACRE seed, fert, mulch, 59 EA eddie's white wonder dogwood, 29072 EA salal, 5569 EA western sword fern, 7355 SY fine compost, 11828 SY soil amend, 8636 SY bark or wood chip mulch, 1848 LF cement conc traffic curb and gutter, 4376 LF cement conc roundabout curb and gutter, 326 LF beam guardrail thrie beam, 822 LF remove and reset beam guardrail, 19965 LF plastic line, 4710 LF plastic wide lane line, 8235 LF temp pvmt marking, 106 EA temp yield line symbol, 1782 CY struct excav CL B incl haul, 12297 SF shoring or extra excav CL B, 1113 SY cement conc sidewalk, 16 EA cement conc sidewalk ramp. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH Lump Sum Bids for: Irrigation sys, planting area soil stabilization, perm signing, temp illum sys, illum sys, traffic data accum and ramp metering sys, temp traffic control, rdwy survey, clean exist drain struct, SPCC plan. (XL-2422)(100598C)(09A021)(7874)(4 of 5)

*6.

(THURSTON) **YELM LOOP STAGE 1** (CL 1 or 4, \$7,500,000 - \$10,000,000) **CONTAINS APPRENTICE UTILIZATION REQUIREMENT: 15%**. Requires: Constructing a roundabout and new highway alignment with bike and pedestrian paths. The work includes clearing and grubbing, grading, drainage, surfacing, paving with hot mix asphalt, illumination systems, pavement markings, roadside seeding and planting, permanent signing traffic control and other work. 125 Working days. Involves 138 items. 73200 CY rdwy excav incl haul, 24800 CY embank comp, 498 LF sch A culv pipe, 32 EA catch basin, 924 LF CL V reinf storm sewer pipe, 2111 LF st casing, 50 CY conc CL 4000, 25210 T crushed surface base course, 1570 SY plane bit pvmt, 26200 T HMA CL 1/2 IN PG 64-22, 12450 SY soil residual herbicide, 6120 LF silt fence, 16 ACRE seed, fert, mulch, 10990 CY topsoil, 23 EA garry oak, 361 EA blue oat grass, 342 EA tall oregon grape, 588 EA black-eyed susan, 8182 EA fescue, 6900 CY fine compost, 117 T boulders, 310 CY river cobbles, 2842 LF cement conc traffic curb and gutter, 1863 LF cement conc traffic curb, 3316 SF conc for pigmented truck apron, 36750 LF paint line, 2820 LF plastic wide line, 4540 CY struct excav CL B incl haul, 29110 SF shoring or extra excav CL B, 2780 SY cement conc sidewalk, 2055 SF stamped conc, 28 EA cement conc sidewalk ramp, 17090 LF coated chain link fence, 168 SF detectable warning pattern. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Perm signing, city entrance marker, illum sys, temp traffic control, clean exist drain struct, SPCC plan. (XL-2310)(351025A)(09C524)(7879)(3 of 4)(1)

*7.
**

(SKAGIT) **I-5 INTERCHANGE – JOSH WILSON RD – REBUILD INTERCHANGE** (CL 1, \$5,000,000 - \$7,500,000) CONTAINS VOLUNTARY MWBE GOAL: 13%. A State Project on SR 11, MP 0.00 to MP 0.35. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Constructing two roundabouts, grading, ramp realignments, paving, channelization, drainage, sanitary sewer main work, pavement marking, permanent signing, guardrail, illumination and temporary signal system, erosion control, planting and plant establishment, traffic control and other work. 150 Working days. Involves 181 items. 26618 CY rdwy excav incl haul, 70990 T select borrow incl haul, 33820 CY embank comp, 394 T quarry spalls, 173 LF sch A culv pipe, 16 EA bioswale level spreader, 1058 LF CLV reinf conc storm sewer pipe, 2005 LF sch A storm sewer pipe, 1126 LF sanitary sewer force main pipe, 64 LF bridge rail, 15480 T crushed surface base course, 1970 CY cement conc pvmt, 4000 EA corrosion resistant dowel bar, 640 CY pigmented truck apron, 6609 SY plane bit pvmt, 12112 T HMA CL 1/2 IN PG 64-22, 290 T commercial HMA, 64 LF bridge transverse jnt seal, 3795 LF silt fence, 6 ACRE dry native seed, fert, mulch, 9691 CY topsoil, 2010 EA oceanspray, 3380 EA red elderberry, 926 EA sitka willow, 5862 EA snowberry, 1327 CY soil amendment, 721 CY fine compost, 2052 CY bark or wood chip mulch, 4855 LF high visibility fence, 8117 LF mountable curb and gutter, 3547 LF beam guardrail, 10 EA beam guardrail non-flared term, 2252 LF temp conc barrier, 23800 LF plastic line, 2820 LF plastic wide lane line, 35000 LF temp pvmt marking, 2136 SF const signs CL A, 2973 CY struct excav CL B incl haul, 983 SY pigmented splitter island, 2424 LF chain link fence, 2608 LF wire fence, 15136 SY const geotextile. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Select clearing, perm signing, illum sys, temp traffic signal and illum sys, temp traffic control, clean exist drain struct, SPCC plan. (XL-2777) (101100F)(09A018) (7859)(8 of 6)9)(5)

BID OPENING WEDNESDAY, FEBRUARY 3, 2010

- *1. (PIERCE) **I-5 TO 108TH ST. S. – PAVING** (CL 4, \$1,500,000 - \$2,000,000) F.A. No. NH-0512(015) on SR 512, MP 0.00 to MP 2.38. Requires: Pavement repair, HMA overlay, adjustment of junction boxes, bridge deck repair on one bridge, installing pavement markers, traffic control and other work. 25 Working days. Involves 41 items. 278 SY pvmt repair excav incl haul, 3230 SY plane bit pvmt, 14206 T HMA CL 1/2 IN PG 64-22, 1897 LF extruded curb, 24770 LF paint line, 22060 LF profiled plastic line, 2980 LF profiled plastic wide lane line, 55300 LF temp pvmt marking, 14 EA adjust jct box. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-3501)(351235A)(09C528)(7880)(3 of 5)

BID OPENING WEDNESDAY, FEBRUARY 10, 2010

- *1. (KING) **TWO-WAY TRANSIT & HOV OPERATIONS STAGE 2** (CL 6 or 20, Under \$20,000,000)
** **CONTAINS VOLUNTARY MWBE GOAL: 8%** A Sound Transit Project on I-90, MP 6.68 to MP 9.28.
*** Requires: Grading, drainage, hydrant relocation, constructing reinforced concrete retaining walls and structural earth retaining wall, surfacing, paving with cement concrete and hot mix asphalt, erosion control and planting, cast-in-place concrete barrier, precast concrete barrier, impact attenuators, irrigation, illumination, ITS, permanent signing, pavement marking, surveying, traffic control and other work. 418 Working days. Involves 190 items. 15050 CY rdwy excav incl haul, 6810 T gravel borrow incl haul, 6770 CY embank compact, 3836 LF underdrain pipe, 41 EA catch basin, 351 LF CL V reinf conc storm sewer pipe, 2251 LF sch A storm sewer pipe, 156 LF ductile iron pipe, 80 CY soil excav incl haul, 440 LF furnish and place temp casing, 73200 LB st rebar, 140 CY conc CL 4000, 3419 LF sew traffic barrier, 19530 SF struct earth wall, 2874 CY backfill incl haul, 3570 T crushed surface base course, 5323 CY cement conc pvmt, 9256 EA corrosion resistant dowel bar, 317 SY replace cement conc panel, 4576 EA tie bar with drill hole, 2990 T HMA CL 1/2 IN PG 64-22, 2898 LF temp curb, 200 DAY temp sediment treatment, 1340 CY topsoil, 42 EA western red cedar, 104 EA siberian dogwood, 600 EA zabel laurel, 952 EA rugosa rose, 250 EA compact oregon grape, 1848 LF precast conc barrier with scupper, 6817 LF cast-in-place conc barrier, 142 cast-in-place conc barrier trans section, 8 EA cast-in-place conc barrier light standard section, 26620 LF temp conc barrier, 65020 LF profiled plastic line, 22050 LF profiled plastic wide line, 26 HUND raised pvmt marker, 91400 LF temp pvmt marking, 1230 LF directional boring, 1496 SF const signs CL A, 9150 CY struct excav CL B incl haul, 7673 SF conc cap, 4 EA manhole. **CONTAINS MINIMUM BID BID ITEMS: TYPE C PROGRESS SCHEDULE AND SCHEDULE UPDATES** Lump Sum Bids for: Irrigation sys, biofiltration swale mod, perm signing, sign bridge, bridge mounted sign bracket, wall mounted sign posts, bridge deck sign posts, barrier mounted sign posts, illum sys, ITS, temp ITS, communication conduit sys, communication cables and interfaces, CCTV, video, voice & data distribution & transmission sys, variable mess sign sys, temp traffic control, struct survey, rdwy survey, health and safety plan, SPCC plan. (XL-3008)(109040R)(09A027)(7870)(5 of 6)(8)(1)
2. (YAKIMA) **TERRACE HEIGHTS OFF RAMP – IMPROVEMENTS** (CL 1 or 9, \$600,000 - \$750,000) **CONTAINS VOLUNTARY MWBE GOAL: 12%**. A State Project on I-82, MP 33.26 to MP 33.51. Requires: Sawcutting, grading, paving with hot mix asphalt, cement concrete curb, gutter and sidewalk, signalization, removing and resetting illumination, drainage, pavement markings, permanent signing, traffic control and other work. 44 working days. Involves 52 items. 4135 CY common borrow incl haul, 4830 CY embank comp, 440 T crushed surface base course, 550 T HMA CL 1/2 IN PG 70-28, 440 LF high visibility silt fence, 1117 CY topsoil, 672 LF cement conc pedestrian curb, 4920 LF paint line, 2420 LF temp pvmt mark, 510 SY cement conc sidewalk, 40 SF truncated dome detectable warning surface. Lump Sum Bids for: Perm signing, illum sys, traffic signal sys, temp traffic control, cure box, SPCC plan. (XL-2466)(508202I)(09Y028)(7883)(1 of 4)
3. (CLARK) **LEWISVILLE PARK VIC. CLIMBING LANES** (CL 1 or 4, \$5,000,000 - \$7,500,000) **CONTAINS VOLUNTARY MWBE GOAL: 8%**. A State Project on SR 503, MP 8.95 to MP 11.21 & MP 14.13 to MP 14.38. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Widening for climbing lanes and overlaying existing pavement, including clearing and grubbing, grading, planing existing pavement, culvert replacement, curb and concrete barrier, storm sewer, signal system and guardrail installations, paving, striping, wetland mitigation, traffic control and other work. 85 Working days. Involves 108 items. 19640 CY rdwy excav incl haul, 5100 CY wetland excav incl haul, 2945 T backfill of unsuitable foundation excav, 5180 T special select borrow incl haul, 3494 LF underdrain pipe, 1684 LF sch A culv pipe, 2720 LF media filter drain, 2919 LF test storm sewer pipe, 2954 LF storm sewer pipe, 21585 T crushed

surface base course, 16185 T HMA CL 1/2 IN PG 64-22, 9514 LF silt fence, 2110 CY topsoil, 12 ACRE seed, fert, mulch, 15855 SY compost blanket, 6197 LF high visibility fence, 2526 LF mountable cement conc traffic curb, 1680 LF beam guardrail, 2112 LF raise exist beam guardrail, 47281 LF paint line, 91275 LF temp pvmt marker, 1983 CY struct excav CL B incl haul, 2025 LF wire fence. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Perm signing, illum sys, traffic signal sys, advanced warning flasher sys, temp traffic control, pedestrian control & protect, cure box, SPCC plan. (XL-2825)(450306A)(09X301)(7882)(1 of 4)

BID OPENING WEDNESDAY, MARCH 24, 2010

*1. (KING)**ALASKAN WAY VIADUCT – REPLACEMENT – S HOLGATE ST TO KING ST – STAGE**
 ** **2** (CL 1 or 6, \$150,000,000 - \$200,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 10%.**
 *** F.A. No. PNRs-0099(096 & 097) on SR 99, MP 28.85 to MP 31.75. **CONTAINS APPRENTICE UTILIZATION REQUIREMENT: 15%.** Requires: Constructing bridges, utility relocation work, paving with HMA and cement concrete, constructing walls, demolishing the existing SR 99 elevated roadway, grading for railroad tracks, excavating and disposing of contaminated materials, pile work, pedestrian/bicycle shared use path, cement deep soil mixing, traffic control, traffic signal system and illumination work, pavement marking, guardrail, fencing, temporary water pollution and erosion control, traffic control and other work. 1560 Working days. Involves 195 items. 75319 CY rdwy excav incl haul, 54319 T gravel borrow incl haul, 3934 CY unstable base material backfill, 24441 CY geofoam lightweight fill, 190203 T dispose contaminated material, 7 EA in-line water quality vault, 7643 LF SD CL V reinf conc storm sewer pipe, 399 LF st casing, 8889 LF storm sewer pipe, 109 EA manhole, 207 EA catch basin, 121110 CY struct excav CL A incl haul, 49033 CY soil excav incl haul 68010 LF furnish & place temp casing, 908 LF furnish perm casing, 78 EA place perm casing, 230 LF casing shoring, 10728 LF furnish conc piling, 56 EA drive conc pile, 2359 LF furnish st piling, 2121850 LB epoxy-coated st rebar, 11634831 LB st rebar, 175280 LF CSL access tube, 2831 CY lean conc, 9302 CY conc CL 4000D, 8760 CY conc CL 4000, 19175 CY conc CL 4000P, 65845 LF prestressed conc girder, 15572 SY waterproofing, 1015 SY bridge approach slab, 58 EA furnish st pile tip or shoe, 24090 T crushed surface base course, 4280 T railroad subballast, 4962 CY cement conc pvmt, 10762 EA corrosion resistant dowel bar, 6836 CY COS cement conc pvmt incl dowels, 16898 T HMA CL 1/2 IN PG 64-22, 1168 T commercial HMA, 3 EA tire wash, 15117 LF temp conc barrier, 48 EA sch update, 1470 LF temp chain link security fence, 21610 SF shotcrete facing, 33 EA pumping well, 15 EA recharge well, 5300 CY pretrenching, 40200 CY CDSM panel, 5200 CY jet grout. **CONTAINS MINIMUM BID ITEMS: TYPE C PROGRESS SCH, HOURLY WAGE FOR OTHER TRAFFIC CONTROL LABOR AND FLAGGERS/SPOTTERS.** Lump Sum Bids for: Geotech instrumentation, water quality vault, pre-treatment vault, storm sewer plug, remove, abandon, flow splitter vault, grit storage chamber vault, shutoff valve manhole, PSD pump station, combined sewer sys in place, water sys in place, shoring or extra excav CL A, struct carbon st, struct low alloy st, column jacket, rdwy deck, retained fill approach walls, temp column support, overhead coiling door, metal grating, erosion control elements, port stormwater treatment facility, port process water treatment facility, temp drain, temp pvmt marking, perm signing, sign bridges, illum sys, temp illum sys, traffic signal sys, flashing beacon sys, CCTV, communication conduit sys, communication cable and interfaces, video, voice & data dist & trans sys, VMS, perm pvmt marking, temp traffic control, shoring, cure box, struct survey, rdwy & utility survey, fences & gates, clean exist drain struct, utility coordinator, adjust utility objects, OCR and kiosk sys, urban design elements, terminal 46 electrical, dewatering sys design, utility crossing cathodic protect, dewatering sys, 26KV underground sys in place, 26 KV overhead sys in place, fire protect sys, field office, poly conc trial overlay, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 1597707 LB epoxy-coated st rebar, 330045 LB st rebar, 8088 CY conc CL 4000D, 1262 CY conc CL 4000, 432 LF expansion jnt sys strip seal, 291 EA elastomeric bearing pad, 286 EA elastomeric girder stop pad, 23212 LF conduit pipe, 15 EA bridge drain, pipes & support brackets, 8931 LF traffic barrier, 1224 LF median barrier, 84 LF median barrier trans, 15 EA longitudinal seismic restrainer, 950 LF safety net, 2 sets bridge drain grates, 90 LF expansion jnt sys, 262 LF bridge deck drain sys, 4 EA transverse stop bearing, 100 LF prestressed conc girder PCPS slab, 10230 LB struct low alloy st, 13 LF expansion jnt sys silicone seal, 621 LF expansion jnt sys compression seal, 130 LF throw fence, 516 EA drill holes, 3 EA mod bridge drains, 4 EA plug exist drain.(XL-3237) (809936D)(09A803)(7847)(12 of 40)21)(4) **GEOTECH REPORT AVAILABLE AT:**
www.wsdot.wa.gov/biz/contaa

Paula J. Hammond, P.E.
Secretary of Transportation

* Previously Advertised
** Extended
*** Revised

Projects awarded the week of January 4, 2010

(King & Snohomish) Corridor Safety Improvements King & Snohomish Counties - #7856 – Tri-State Construction, Inc., Bellevue, WA 98004-5732 - \$2,968,786.68

(Grays Harbor & Pierce) SR 520 Pontoon Construction Design Build - #7826 – Kiewit-General a Joint Venture, Poulsbo, WA 98370-7473 - \$367,330.000.00